Copy No 4

JOINT PHOTOGRAPHIC INTELLIGENCE BRIEF ARMY-NAVY-CIA

(Published and Disseminated by CIA/PIC)

SUBJECT : Surface-to-Air Missile Site

4 F TO COM of 71 in 1

NO : PIC/JB-24/60

LOCATION: 6.5 nm SSW of Zhigulevsk

DATE 21 March 1960

Dam, Volga River, USSR

COORD: 53°21'N 49°25'E





Figure 1. SAM SITE 6.5 NM SSW OF ZHIGULEVSK DAM, VOLGA RIVER.

Declass Review by NGA / DoD

VITAL RECORDS COPY

Approved For Release 2005/12/25 : CIA-RDP78T04751A000300050025-1



Approved For Release 2005/12/25 CTA-RDP78T04751A000300050025-1

PIC/JB-24/60

REFERENCE POINT: ZHIGULEVSK DAM, VOLGA RIVER, BE No 53°27'00"N - 49°29'00"E.	25X1A
LOCATION: 6.5 nm south-southwest of reference point.	
FUNCTION: One of a group of sites deployed for the defense of Zhigulevsk Dam.	
SITE STATUS: Complete and operational.	

LAUNCH FACILITIES:

Six launch revetments with six launchers emplaced.

MISSILES:

Five canvas-covered missiles on trailers in hold revetments. One canvas-covered missile on trailer positioned in front of launcher.

ELECTRONICS AND ASSOCIATED EQUIPMENT:

FRUIT SET radar with seven van trucks and three van trailers positioned in revetments at center of operations area.

Probable acquisition radar with associated trailer located just south of operations area.

COMMUNICATIONS:

A possible communications antenna is located just north of the operations area.

OVERHEAD POWER and/or COMMUNICATION LINE:

Overhead wire line leads to site.

TRANSPORTING EQUIPMENT:

Five tractors with missile trailers located in hold revetments. One tractor with missile trailer located in launch revetment. Five prime movers and three van trailers located in vehicle parking area.

TOP SECRET Approved For Release 2005/12/25 : CIA RDP78T04751A000300050025-1

PIC/JB-24/60

SUPPORT AREA:

Structures

Roof Type	No Stories	Dimensions (feet)
Hip	2	160 x 60
Gable	2	55×35
Complex	1	55 x 25
Shed	1	55.x 25
${f Shed}$	1	30×20
Shed	1	15 x 15
	Hip Gable Complex Shed Shed	Hip 2 Gable 2 Complex 1 Shed 1 Shed 1

Other features include eight tent support bases and one earthen mound 15 feet in diameter.

Construction activity located just north of support area.

SECURITY:

Security fence encloses site.

REMARKS:

Site is situated on relatively flat terrain near the edge of a forested area. A SAM support facility 11 nm to the northeast probably serves the site.

MAP REFERENCES:

WAC 165; AMS Series N 501, Sheet NN 39-7.

25X1	D

PHO	DTO DATA:	•	